


CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that this survey, plan, or report was prepared by me or under my direct supervision and that I am a duly Licensed Land Surveyor under the laws of the State of Minnesota.


 TERRY L. FREEMAN

Date: 2/9/07 License No: 21367
PLS #21367

OFFICE OF THE COUNTY RECORDER
 County of CASS

I hereby certify that this document was filed in the Office of the County Recorder at _____ o'clock _____ M. on the _____ day of _____, 20____ A.D.

County Recorder _____

By: _____, Deputy
DOCUMENT NO.

EAST QUARTER Corner of Section 19, Township 140, Range 28, 5TH P.M.


On APRIL 13, 2005 found a 2" IRON PIPE, UP 3"

left monument as found, lowered monument, removed monument (explain)
 On _____ placed a _____

SKETCH OF REFERENCE TIES

Corner Index: P 5

Not to Scale



Statement of evidence for this corner position is on the back of this page

STATEMENT OF EVIDENCE

Index No. P - 5

East Quarter Corner, Section 19, Township 140
North, Range 28 West, Cass County, Minnesota

- 1870 Orville Smith, U.S. Deputy Surveyor, originally established this corner position while surveying the interior subdivision lines of Township 140 North, Range 28 West. A wood post was set to mark the corner position with following witnesses: A 28 inch White Pine, South 40 degrees East, 6 links; An 18 inch Norway Pine, North 55 degrees West, 41 links.
- 1916 County Survey Record Book "B", page 125, shows a survey by E. B. Horst, Deputy County Surveyor where he set a wood post from the stump of the original Government Bearing Tree, bearing South 40 degrees East, 6 links.
- 1917 County Survey Record Book "C", page 80, shows a 2 inch by 48 inch iron monument set by E. B. Horst, Deputy County Surveyor.
- 1926 County Survey Record Book "D", page 189, shows a survey by Ben Clark, Deputy County Surveyor. He found an iron post and a 30 inch White Pine Stump.
- 1941 Survey by CCC's, Book 14, page 29, at Washburn Lake Ranger Station, shows iron pipe found at 2763 feet from South
- 1983 Certificate of Survey by G.H. Stevenson, RLS#12684, shows iron pipe monument found.
- 1991 Plat of CHARJOHN GARDENS by G.H. Stevenson, RLS#12684, shows iron pipe monument found.
- 2002 December, Cass County Survey Office finds a 2 inch outside diameter iron pipe, up 0.4 feet, 14 feet± West of driveway and makes the following accessories: An 18 inch Norway Pine, North 8 degrees East, 31.92 feet; A 12 inch White Pine, North 85 degrees East 53.84 feet; A 6 inch Maple, South 60 degrees West, 27.11 feet.
- 2005 April 13, a Landecker and Associates, Inc. survey crew finds a 2 inch iron pipe and accepts it as the perpetuation of the original corner position with the following accessories: Found 18 inch Norway Pine, North 8 degrees East, 31.92 feet; Found A 12 inch White Pine, North 85 degrees East, 53.84 feet; Found A 6 inch Maple, South 60 degrees West, 27.11 feet.

A000525264

OFFICE OF COUNTY RECORDER
CASS COUNTY MINNESOTA

CERTIFIED, FILED, AND/OR
RECORDED ON
04/12/2007 08:41:37AM

AS DOC #: A000525264
PAGES: 3
REC FEES: \$0.00

KATHRYN M. NORBY
COUNTY RECORDER

BY Kathryn M Norby DEPUTY
mw