



That in order to make the attached AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 2013.



Susanne Gray
Notary Public

This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Section

Corner to Sec.'s 8-9-16-17 T. 143N R. 26W No. 687

State of Minnesota, }
County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 21st day of August, 1968, I found the Section corner of sections 8-9-16-17

which was evidenced by remains of the original Government survey of 1872

Spruce 4 inch N46°E 19.80 feet - not found

Spruce 4 inch N39°W 16.50 feet - not found

Spruce 4 inch S60°W 9.90 feet - not found

Spruce 4 inch S43°W 2.64 feet - not found

and remains of the G.L.O. resurvey of 1922 consisting of 2 inch diameter iron T143N R26W
post 3 feet long with brass cap marked

Found iron post in place

(see reverse)

S8|S9
S17|S16
1922

and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of no new monument set as G.L.O. monument is in good condition.

from which reference or witness monuments are located in the manner following:

Spruce 4 inch N49°W 14.28 feet scribed S8 BT

Cedar 6 inch N83°W 48.55 feet scribed S8 BT

Cedar 7 inch N42°E 19.38 feet scribed S9 BT

Cedar 6 inch S57°E 31.51 feet scribed S16 BT

Cedar post 4x4x84 inches due north 3.4 feet with Forest
Service signs 54-2 and 54-4 attached.

All reference bearings are true bearings.

William H. Okerman
(Surveyor's Signature)

In the Presence of:

James E. Ryker
Clifford B. Senn

Subscribed and sworn to before me at

Cass Lake, Minnesota
this 16th day of June, 1970Gordon E. Close
Notary PublicGORDON E. CLOSE
Notary Public, Cass County, Minn.
My commission expires July 28, 1971

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was
filed in this office for record on the 8th
day of October, A.D., 1971
at 9 o'clock A.M.Beulah Hendricks
Register of Deeds

By Deputy

Spruce 6 inch $N21^{\circ}30'E$ 23.10 feet - now a rotted stump
 Spruce 4 inch $S51^{\circ}15'E$ 13.86 feet - not found
 Tamarack 8 inch $S36^{\circ}30'W$ 30.36 feet - now a rotted stump
 Spruce 6 inch $N31^{\circ}45'W$ 31.02 feet - not found



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

