





-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 30 day of August, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Corner to Secs. 8-9-16-17 T. 137 N. R. 29 W.

**State of Minnesota,** }  
 COUNTY OF CASS } ss.

I hereby certify that on the 16th day of May 1922

I found the section corner of Sec. 8-9-16-17, T. 137 N., R. 29 W.

which was evidenced by Telephone pole SE 52.1 feet - Jack Pine W. 62.9 feet.

and I further certify that to perpetuate the location of such corner I did at the exact location thereof place a permanent marker consisting of 2" hollow iron pipe with concrete base already placed

I further certify that I established FOUR (4)

reference or witness monuments consisting of 2" iron pipes 3½ feet long

which reference or witness monuments are located in the manner following:

2" hollow iron pipe NW 46.7 feet

2" " " " SW 46.7 "

2" " " " NE 46.7 "

2" " " " SE 46.7 "

All pipes 6 inches above natural surface of ground

Pine River  
 Dated at ~~WATER~~ this 17th day of May 1922

*C. J. BARK*  
 C. J. BARK  
 Ass't. COUNTY SURVEYOR Highway Engineer

**OFFICE OF REGISTER OF DEEDS,** }  
 COUNTY OF CASS }

I hereby certify that the within instrument was filed in this office for record on the day of Nov. A. D. 1922 at 9 o'clock P. M. and was duly Recorded in Book of on page

*Adin Paetz*  
 Register of Deeds.

By Deputy.