



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of DEC, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

AFFIDAVIT AS TO LOCATION OF GOVERNMENT CORNER

Corner to Sec.'s 22-23-26-27 T. 141N R. 29W No. 486

State of Minnesota, }
 County of Cass } ss.

William H. Okerman, being first duly sworn, deposes and says:

That I reside at Bemidji, Minnesota, and am registered as a Land Surveyor under the laws of the State of Minnesota, having Surveyor's Registration Certificate No. 6807.

I further depose and say that on the 21st day of October, 1964, I found the section corner of sections 22-23-26 and 27 which was evidenced by the remains of the G.L.O. resurvey of 1918. Corner was marked by a 3 foot by 2 inch iron post stamped:

	T141N	R29W
J Pine 10 inch N54°E 150.16 feet (Now a pine stump at record bearing and distance)	S22	S23
J Pine 6 inch S19°E 77.22 feet (Now a rotten stump)	S27	S26
J Pine 8 inch S22°W 50.16 feet (Now a windfall at record bearing and distance scribe visible)	1918	

W Oak 8 inch N65°W 87.78 feet (Now a 18 inch Oak with scribe overgrown at record bearing and distance) and that to perpetuate the location of such corner I did, at the exact location thereof, place a permanent marker consisting of No new monument set as old one is in good condition.

from which reference or witness monuments are located in the manner following:

Aspen 10 inch N50°E 54.2 feet scribed S23 BT
 Aspen 8 inch N39°W 14.8 feet scribed S22 BT
 Oak 7 inch S48°E 11.8 feet scribed S26 BT
 Oak 10 inch S29°W 20.5 feet scribed S27 BT

steel sign post 72 inches long set 24 inches in ground with signs 54-2 and 54-4 attached due North 4.8 feet

All reference bearings are true bearings.

William H. Okerman
 (Surveyor's Signature)

In the Presence of:

E. Farrell Creech
 Gordon E. Blou

Subscribed and sworn to before me at CASS LAKE,

MINNESOTA

this 11th day of December, 1967

Gordon E. Blou
 Notary Public

OFFICE OF REGISTER OF DEEDS

County of Cass

I hereby certify that the within instrument was filed in this office for record on the 28 day of June A.D., 1968 at 9 o'clock A.M.

Berulah Hendricks
 Register of Deeds

By Deputy

W. E. CLOSE
 Cass County, Minn.
 Expires July 28, 1971



SECTION _____ TOWNSHIP _____ RANGE _____ P.M.

