



A000587865

OFFICE OF THE COUNTY RECORDER  
CASS COUNTY, MINNESOTA  
CERTIFIED, FILED, AND/OR  
RECORDED ON

12/27/2012 1:06:20 PM

AS DOC #: A000587865

PAGES: 4

REC FEES: 0.00

KATHRYN M. NORBY  
CASS COUNTY RECORDER

BY KF Dep

Page 1 of 4  
A000587865

## AFFIDAVIT BY THE CASS COUNTY SURVEYOR IN REGARD TO A CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

STATE OF MINNESOTA     }  
  }ss  
COUNTY OF CASS         }

Robert Kovanen, being first duly sworn, deposes and states as follows:

That Affiant is the County Surveyor in and for the County of Cass, in the State of Minnesota;

That in such capacity Affiant has knowledge of the books and records kept in the Office of the County Surveyor in and for the County of Cass, State of Minnesota;

That the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER has been found in the Surveyor's records and after checking with the Cass County Recorder, it was determined that the document was never assigned a document number and was never officially recorded in the real estate records or tracted in the tract indexes within said Cass County Recorder's Office;



-2-


That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me  
this 26<sup>th</sup> day of December, 2012.

Notary Public



This instrument was drafted by:

Robert Kovanen  
Cass County Surveyor  
P.O. Box 579  
Walker, MN 56484

## CERTIFICATE OF LOCATION OF GOVERNMENT CORNER 740

Southeast  
1/16 Corner to Sec. 26 T. 141N R. 28W No. 5th PMState of Minnesota, }  
County of Cass } ss.I hereby certify that on the 9th day of September 1971  
I found the Southeast 1/16 corner of Section 26  
which was evidenced by remains of the General Land Office resurvey of 1918and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place  
a permanent marker consisting of existing G.L.O. monument.I further certify that I established  
reference or witness monuments consisting of  
which reference or witness monuments are located in the manner following:

Ash 6 inch S28°E 22.64 feet scribed 1/16 S26 BT

Ash 7 inch N39°E 18.95 feet scribed SE 1/16 S26 BT

Ash 4 inch S80°W 7.05 feet scribed X BT

Steel sign post 72 inches long set due north 3.4 feet with Forest Service signs

54-4 and 54-2 attached

Dated at Bemidji, Minn., this 10th day of September 1971

William D. Oksman  
Beltrami County Surveyor

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th  
day of October A. D. 1971 at 9 o'clock A. M.Beulah Hendricks  
Register of Deeds.

By Deputy.



SECTION \_\_\_\_\_ TOWNSHIP \_\_\_\_\_ RANGE \_\_\_\_\_ P.M.

