



-2-

That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 31st day of Dec., 20 12.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER 741

West
1/16 Corner to Sec. 4 and 33 T. 141N - 142N R. 28W No. 5th PMState of Minnesota, }
County of Cass } ss.

I hereby certify that on the 9th day of September 1971

I found the West 1/16 corner ~~of~~ between Sections 4 and 33
which was evidenced by remains of the General Land Office resurvey of 1918and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place
a permanent marker consisting of 6" x 6" x 24" concrete monument capped with a 3" brass
tabletI further certify that I established
reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Jackpine 15 inch N62°W 99.7 feet scribe visible (G.L.O. BT)

Oak 8 inch S19°E 26.9 feet scribed 1/16 S4 BT

Jackpine 13 inch N23°W 57.0 feet scribed 1/16 S33 BT

Steel sign post 72 inches long set due south 20.6 feet with Forest Service signs
54-4 and 54-2 attached

Dated at Bemidji, Minn., this 10th day of September 1971

William G. Oksman
Beltrami County Surveyor ~~EX HONORIS~~

OFFICE OF REGISTER OF DEEDS }

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 8th
day of October A. D. 19 71 at 9 o'clock A. M.Berndt Hendricks
Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

