



That in order to make the attached CERTIFICATE OF LOCATION OF GOVERNMENT CORNER a matter of public record and locatable by legal description, Affiant does herewith attach said document to this affidavit and requests the Cass County Recorder to record same at her earliest opportunity.

FURTHER, Affiant sayeth not.

Robert Kovanen, Cass County Surveyor

Subscribed and sworn to before me
this 26th day of Feb., 2013.

Notary Public



This instrument was drafted by:

Robert Kovanen
Cass County Surveyor
P.O. Box 579
Walker, MN 56484

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Quarter

Corner to Sec.'s 26-35 T. 144 N. R. 26 W. No. 749

State of Minnesota, }
 County of Cass } ss.

I hereby certify that on the 8th day of July 1970

I found the Quarter corner of Sections 26-35

which was evidenced by remains of R.W. Fassett resurvey of 1953 and documented in Forest Service Record

and I further certify that to perpetuate the location of such corner, I did, at the exact location thereof, place a permanent marker consisting of 5 1/2 inch x 5 1/2 inch x 24 inch concrete monument with brass cap

I further certify that I established

reference or witness monuments consisting of

which reference or witness monuments are located in the manner following:

Cedar 10 inch N3°E 48.70 feet scribed 1/4 S26 BT

Elm 8 inch N40°E 92.20 feet scribed 1/4 S26 BT

Cedar 8 inch S4°W 66.50 feet scribed 1/4 S35 BT

Cedar post 4 inch x 4 inch x 72 inches due north 33.00 feet with Forest Service sign 54-4 attached

Dated at Bemidji, Minn., this 12th day of October 1971

William H. Okerman
 County Surveyor or Highway Engineer

WILLIAM H. OKERMAN
 Minnesota Registration No. 6807

OFFICE OF REGISTER OF DEEDS

County of Cass }

I hereby certify that the within instrument was filed in this office for record on the 26

day of November A. D. 19 71 at 9 o'clock A. M.

Bessie Hendrick

Register of Deeds.

By Deputy.



SECTION _____ TOWNSHIP _____ RANGE _____ P.M. _____

