


Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Corner common to sections _____



EXISTING SURVEYS

Original Government Survey

Year surveyed _____
Original monument _____

Original Evidence Found

Year of search _____ by _____
Monument found _____

Bearing Trees

Species _____
Diameter _____
Bearing _____
Distance _____

Original Bearing Trees Found

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration

Year of search _____ By _____
Location filed:
Monument:

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Bearing Trees, Reference Objects

Species _____
Diameter _____
Bearing _____
Distance _____

Subsequent Corner Restoration

Year surveyed _____ By _____
Location filed:
Monument:

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____
Location filed:
Monument:

Index No. _____

CASS COUNTY LAND CORNER RECORD

T. _____ R. _____ M. _____ Coordinates: X _____ Y _____

Page _____ of _____

Corner common to sections _____


Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed _____ By _____
Location filed:
Monument:

Year of search _____ By _____
Location filed:
Monument:

T. 133 R. 29 M. 5TH Coordinates: X _____ Y _____
NE 17 Corner common to sections 8, 9, 16, 17



EXISTING SURVEYS

Original Government Survey

Year surveyed 1870

Original monument Post

Species	Bearing	Trees	Distance
<u>R. OAK</u>	<u>BL. PINE</u>	<u>BL. PINE</u>	<u>BL. PINE</u>
<u>5"</u>	<u>9"</u>	<u>8"</u>	<u>10"</u>
<u>S52°W</u>	<u>S83 1/2°E</u>	<u>N18 1/2°E</u>	<u>N 48 1/2°W</u>
<u>17 LKS</u>	<u>50 LKS.</u>		

Original Evidence Found

Year of search _____ By _____

Monument found _____

Original Bearing Trees Found

Species _____

Diameter _____

Bearing _____

Distance _____

O = Corner

Subsequent Corner Restoration

Year surveyed 1915 By JOHN CURD

Location filed COUNTY BOOK "B" P. 422-432

Monument FIND OLD POST & OLD GOLF BITS: BURNED R. OAK
SPINE S52°W 13.2', 9" BL. PINE S68-70°E 42.7', BL. PINE
N18-30°E SET 2" IRON PEG
1918-E.B. HIRST-BOOK "C" P. 129 FIND I.M.

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Evidence of Subsequent Corner Restoration

Year of search 6/2001 By CCSO

Found 100d spike, down 0.2'
1 1/2' W. of 'Little' Pine Rd.,
90°E N. of E Hwy #210

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>Juniper</u>	<u>5"</u>	<u>N15°E</u>	<u>77.91*</u>
<u>P. Pole</u>	<u>12"</u>	<u>N75°W</u>	<u>108.47*</u>
<u>P. Pole</u>	<u>12"</u>	<u>N40°E</u>	<u>84.06 SRP</u>
<u>N. Pine</u>	<u>12"</u>	<u>S60°W</u>	<u>54.18 SRP</u>

*distance to double head nail

J-9

Subsequent Corner Restoration

Year surveyed 8/03 By B. Griuna #17253

Location filed _____

Monument Nail 9.80' south of CCSO nail,
82'E North of Hwy #210,

P. Pole N40°E, 70.50'
A. Pine S60°W, 51.30'
J. Pine N75°W, 43.50'

Evidence of Subsequent Corner Restoration Found

Year of search _____ By _____

PLAT- ~~2368~~ GULL RIVER
L.A. Averill 1886

Sept 2003 J Kramer #2368
Cert. of Sur. shows Mon. found

April 2004 B. Griuna #17253
Cert. of Sur. shows mon. found

May 2004 J. Kramer #2368
Cert. of Sur. shows mon. found

Nov. 1905, W.M. Halliwell
Surv. report shows corner found

Remonumentation certificate prepared #473005

Filed at Cass Co. Recorder Office

By #17253

Date 9/3/03