

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Corner common to sections \_\_\_\_\_


= Corner

EXISTING SURVEYS

Original Government Survey

Year surveyed \_\_\_\_\_  
Original monument \_\_\_\_\_

Original Evidence Found

Year of search \_\_\_\_\_ by \_\_\_\_\_  
Monument found \_\_\_\_\_

Bearing Trees

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Original Bearing Trees Found

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed: \_\_\_\_\_  
Monument: \_\_\_\_\_

Evidence of Subsequent Corner Restoration

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed: \_\_\_\_\_  
Monument: \_\_\_\_\_

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Bearing Trees, Reference Objects

Species \_\_\_\_\_  
Diameter \_\_\_\_\_  
Bearing \_\_\_\_\_  
Distance \_\_\_\_\_

Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed: \_\_\_\_\_  
Monument: \_\_\_\_\_

Evidence of Subsequent Corner Restoration Found

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed: \_\_\_\_\_  
Monument: \_\_\_\_\_

Index No. \_\_\_\_\_

CASS COUNTY LAND CORNER RECORD

T. \_\_\_\_\_ R. \_\_\_\_\_ M. \_\_\_\_\_ Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_

Page \_\_\_\_\_ of \_\_\_\_\_

Corner common to sections \_\_\_\_\_

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:


Year of search \_\_\_\_\_ By \_\_\_\_\_  
Location filed:  
Monument:

EXCAVATION

Index No. E13

CASS COUNTY LAND CORNER RECORD

T. 135 R. 30 M. 5TH Coordinates: X \_\_\_\_\_ Y \_\_\_\_\_  
NE 9 Corner common to sections 3, 4, 9, 10



EXISTING SURVEYS

Original Government Survey

Original Evidence Found

Year surveyed 1869  
Original monument POST

Year of search \_\_\_\_\_ By \_\_\_\_\_  
Monument found \_\_\_\_\_

Species	Bearing Trees			
	BALSAM FIR	BIRCH	BIRCH	BIRCH
Diameter	<u>10"</u>	<u>6"</u>	<u>6"</u>	<u>6"</u>
Bearing	<u>N45E</u>	<u>N60W</u>	<u>S65W</u>	<u>S45E</u>
Distance	<u>30 LKS.</u>	<u>6 LKS.</u>	<u>20 LKS.</u>	<u>22 LKS.</u>

Original Bearing Trees Found			
Species	Diameter	Bearing	Distance
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration

Year surveyed \_\_\_\_\_ By SURVEY OF S.R. HWY 810  
Location filed COUNTY BOOK "B" P 472-473  
Monument STAKE

Year of search 2000 By CCSO  
Fnd. in place; capped IP RLS 17253.  
Located @ Co. Rd. 1 and @ West Co. Rd. 107  
and @ CR. 29. Highway Dept. stationing  
of 0+00 for East Bound CR. 29.

1921 - E.B. Hest - microf. Im - roll 105 BK 67 P. 63  
Set 2x48" I.M. in center of state Hwy

AUG. 2000 - ~~REMOVED~~ in place; not disturbed  
(post. constr.)

Bearing Trees, Reference Objects

Species	Diameter	Bearing	Distance
<u>R.P. log</u>	<u>5"</u>	<u>S52-45E</u>	<u>63.6</u>
_____	_____	_____	_____
_____	_____	_____	_____

Bearing Trees, Reference Objects			
fnd. P.K.	fnd. P.K.	P. Pole	W. Oak
<u>24" CMP C/16</u>	<u>24" CMP C/16</u>	<u>S 50° W</u>	<u>10"</u>
<u>N 50° E</u>	<u>S 56° E</u>	<u>S 50° W</u>	<u>S 70° W</u>
<u>54.85'</u>	<u>53.37'</u>	<u>75.35'</u>	<u>139.64'</u>

(fnd. 30p nail) (dbl. hd. nail)  
(TAG)

Subsequent Corner Restoration

Evidence of Subsequent Corner Restoration Found

Year surveyed \_\_\_\_\_ By \_\_\_\_\_  
Location filed \_\_\_\_\_  
Monument March 1923  
Twop Road Order shows no survey

Year of search June 1913 By \_\_\_\_\_  
Twop rd order shows no survey

Aug. 1912  
Twop rd order shows no survey

Oct. 1903 W.H. Hallett  
Twop rd order shows survey

Nov. 1920, Twop rd order shows no survey